



### HLP-1

Plaatdikte	0,70 mm
Gewicht per m <sup>2</sup>	7,14 kg/m <sup>2</sup>

Coating			
Zichtzijde	Graniet	35 µm	glad
	Pacific	25 µm	glad
	Plastisol	200 µm	leer
	PvdF	25 µm	glad

### Wandprofiel HLP-1

Doorbuiging  $f_{max} = 1/200$

Oplegbreedte 60 mm

Toelaatbare overspanningen in mm

Gebied		I			II			III		
Aantal Velden	Dikte	Hoogte			9 m+	15 m+	30 m+	9 m+	15 m+	30 m+
Δ-Δ	0,70	1335	1275	1203	1415	1340	1255	1505	1420	1324
Δ-Δ-Δ	0,70	1725	1640	1545	1830	1730	1620	1950	1835	1705
Δ-Δ-Δ-Δ	0,70	1600	1525	1435	1700	1610	1505	1815	1705	1585