



HLP-5

Plaatdikte	0,70 mm
Gewicht per m ²	6,91 kg/m ²

Coating			
Zichtzijde	Graniet	35 µm	glad
	Pacific	25 µm	glad
	Plastisol	200 µm	leer
	PvdF	25 µm	glad

Wandprofiel HLP-5

Doorbuiging $f_{max} = 1/200$

Oplegbreedte 60 mm

Toelaatbare overspanningen in mm

Gebied		I			II			III		
Aantal Velden	Dikte	Hoogte			9 m+	15 m+	30 m+	9 m+	15 m+	30 m+
Δ-Δ	0,70	1970	1880	1770	2095	1980	1850	2230	2100	1950
Δ-Δ-Δ	0,70	2390	2220	2020	2625	2410	2175	2880	2630	2350
Δ-Δ-Δ-Δ	0,70	2390	2280	2145	2540	2400	2245	2710	2550	2370

WERKCON
metal profiles

